



WHEELCHAIR RAMP SHALL COMPLY WITH ALL STATE AND FEDERAL RULES AND REGULATIONS.

## WHEELCHAIR RAMP NOT TO SCALE



VERTICAL GRANITE CURB
NOT TO SCALE



Prepared For:

Prepared By:

Design By: xxx Drawn By: xxx

Checked By: xxx
Project File: xxx
Comp. No: ARL12
Issued For Permit
Issued For Review
Issued For Bid

☐ Issued For Construction

☐ Not For Construction

0 0 8 7 9 5 4 5 7

Drawing Title:

Drawing No.:

SHEET

1 OF 3

SITE PLAN

LANDSCAPING PLAN


LIGHTING PLAN

C1

L1

L2

M:\ARL12\wGIS\_MassAve1386.dwg, 10/7/2



SHEET

2 OF 3

THUJUS OCCIDENTALIS 'SMARAGD'

THUJA X PLICATA 'GREEN GIANT'


8-10'

SCHIZACHYRIUM SCOPARIUM


GREEN GIANT ARBORVITAE


LITTLE BLUESTEM

1 gal



## LITHONIA DSX1—LED LIGHT FIXTURE NOT TO SCALE





## PHOTOMETRIC LEGEND:

## **GENERAL LIGHTING NOTES:**

ILLUMINANCE VALUES SHOWN ARE PROPOSED MAINTAINED HORIZONTAL FOOTCANDLES ON LEVEL GRADE.


PHOTOMETRIC ANALYSIS DOES NOT CONSIDER ANY EXISTING ILLUMINANCE, SHADOW OR REFLECTED LIGHT FROM EXISTING OR PROPOSED OBJECTS AND GRADE DIFFERENCES.

HORIZONTAL ILLUMINANCE LEVELS SHOWN ARE CALCULATED FROM DATA PROVIDED FROM MANUFACTURER IN ACCORDANCE WITH THE ILLUMINATING ENGINEERING SOCIETY APPROVED METHODS.

ACTUAL ILLUMINANCE LEVELS MAY DIFFER DUE TO SEVERAL FACTORS SUCH AS LAMP LUMEN DEPRECIATION, LUMINAIRE DIRT DEPRECIATION, LUMINAIRE SURFACE DEPRECIATION, AND EQUIPMENT OPERATING

CONTRACTOR TO VERIFY ALL UTILITIES BEFORE CONSTRUCTION.

LUMINAIRE SCHEDULE				
CALLOUT	SYMBOL	DESCRIPTION	VOLTS	QUANTITY
Α	•0	KAXW LED, PERFORMANCE PACKAGE 3, 5000K, TYPE 4, 120-277V	120V 1P 2W	3
В	••	DSX1 LED P1 30K T3M MVOLT, 12'h	120V 1P 2W	2



M:\ARL12\wGIS\_MassAve1386.dwg, 10/7/2019 9:11:24 AM, TC