




- LEGEND:**
- 129 PROPOSED INTERMEDIATE CONTOUR
 - 130 PROPOSED INDEX CONTOUR
 - 130.0 X PROPOSED SPOT GRADE
 - (130.0) X EXISTING GRADE TO REMAIN (V.I.F.)
 - TW=131.87 X PROPOSED TOP/BOTTOM OF WALL (NOT FOUNDATION)
 - BW=130.50 X PROPOSED TOP/BOTTOM OF CURB
 - TC=131.87 X PROPOSED TOP/BOTTOM OF STEP
 - BC=130.50 X PROPOSED TOP/BOTTOM OF STEP
 - TS=131.87 X PROPOSED RIM ELEVATION (TO FINAL GRADE)
 - BS=130.50 X PROPOSED RIM ELEVATION (TO FINAL GRADE)
 - RM=130.20 X VERIFY GRADE IN FIELD TO BE SET
 - V.I.F. AMOUNT OF PARKING SPACES PROVIDED IN STALL
 - LIMIT OF WORK
 - EXISTING BUILDING
 - - - PROPOSED PHASE 1 BUILDING
 - PROPOSED TRANSFORMER PAD
 - PROPOSED SWITCH GEAR PAD
 - PROPOSED BOLLARD

ABBREVIATIONS
FFE FIRST FLOOR ELEVATION
TYP. TYPICAL






REVISIONS NO.	DATE	REMARKS



- LEGEND:**
- D — PROPOSED STORM DRAINAGE LINE
 - W — PROPOSED WATER LINE
 - FP — PROPOSED FIRE PROTECTION LINE
 - SS — PROPOSED SANITARY SEWER LINE
 - G — PROPOSED GAS LINE (BY OTHERS)
 - E — PROPOSED UNDERGROUND ELECTRIC LINE
 - ⊙ DMH PROPOSED SANITARY SEWER MANHOLE
 - ⊙ SMH PROPOSED STORM DRAINAGE MANHOLE
 - ⊙ CB PROPOSED CATCH BASIN
 - ⊙ H PROPOSED HYDRANT
 - ⊙ GGV PROPOSED GAS GATE VALVE
 - ⊙ WGV PROPOSED WATER GATE VALVE
 - ⊙ TSV PROPOSED TAP AND SLEEVE VALVE
 - ⊙ ESB APPROX. LOCATION OF ENGINEERED SOIL BARRIER
 - ⊙ T PROPOSED TEE

- ABBREVIATIONS**
- FFE FIRST FLOOR ELEVATION
 - TYP. TYPICAL
 - INV. INVERT
 - MM MANHOLE
 - FDC FIRE DEPARTMENT CONNECTION
 - S SLOPE



REVISIONS NO.	DATE	REMARKS

